


Stainless Steel Monitor Selection Guide




Best solution for food, chemical and pharmaceutical industries

Stainless steel can resist corrosion in most acids, alkaline solutions, and chlorine bearing environments, properties which are utilized in process plants. In addition, the easy cleaning ability makes it the first choice for strict hygiene conditions, such as hospitals, kitchens, abattoirs and other food processing plants.




Model	ISDM-084G		ISDM-104G	ISDM-121G	ISDM-150G	ISDM-170G	ISDM-190G
LCD Size	8.4" TFT		10.4" TFT	12.1" TFT	15" TFT	17" TFT	19" TFT
Input Interface	Analog VGA			Analog VGA + DVI-D			
Max Resolution	800 x 600		800 x 600	800 x 600	1024 x 768	1280 x 1024	1280 x 1024
Brightness (cd/m2)	220 / 450		230 / 400	400	350	300	300
Contrast	500 : 1		500 : 1	500:1	400:1	500:1	700:1
LCD Color	262K		262K	262K	262K	16.2M	16.2M
Pixel Pitch (mm)	0.213		0.264	0.3075	0.297	0.264	0.294
Front Frame	Stainless Steel						
Chassis	Heavy-Duty Steel						
View Angle (H/V)	130/110	120/100	120/100	140/110	120/100	140/130	140/130
Power Adapter	25W 63000-UP0251E12PL02-RS			45W 63000-UP0451E12P81L-RS			
OSD function	YES						
Mounting	Stand / Panel / Wall / Arm (100x100)						
Back Cover Color	Silver						
Dimension (WxHxD) (mm)	244 x 178 x 49		311.5 x 242 x 52.1	340 x 260 x 58	409.25x 308.25 x 63.2	452 x 356 x 63.2	482.6 x 399.3 x 71.6
Operation Temperature (°C)	0~50°C						
IP Level	IP 65						
N/G Weight	2.3 kg		3.4 kg	4.4 kg	6.6 kg	9.2 kg	10.75 kg


Dimensions




ISDM-84G




ISDM-104G




ISDM-121G



ISDM-150G



ISDM-170G



ISDM-190GS

DM Series Ordering Information - Aluminium Front Panel

Part No.	Description
6.5"	DM-65GS 6.5" 400cd/m ² LCD Monitor, Aluminum Front Panel, Silver Color
	DM-65GS/T-R 6.5" 400cd/m ² LCD Monitor, Aluminum Front Panel, Silver Color, W / Touch Screen
	DM-65GHS 6.5" 500cd/m ² High Luminance LCD Monitor with VGA, Aluminum Front Panel, Silver Color, RoHS
	DM-65GHS/T-R 6.5" 500cd/m ² High Luminance LCD Monitor with VGA, Aluminum Front Panel, Silver Color, W/8.4" Touch Screen, RoHS
8.4"	DM-84GS 8.4" 220cd/m ² LCD Monitor, Aluminum Front Panel, Silver Color
	DM-84GMS 8.4" 220cd/m ² LCD Monitor, Aluminum Front Panel, Silver Color, 9~36V DC input
	DM-84GS/T-R 8.4" 220cd/m ² LCD Monitor, Aluminum Front Panel, Silver Color, W / Touch Screen
	DM-84GMS/T-R 8.4" 220cd/m ² LCD Monitor, Aluminum Front Panel, Silver Color, W / Touch Screen, 9~36V DC input
	DM-84GHS 8.4" 450cd/m ² High Luminance LCD Monitor, Aluminum Front Panel, Silver Color
	DM-84GHMS 8.4" 450cd/m ² High Luminance LCD Monitor, Aluminum Front Panel, Silver Color, 9~36V DC input
	DM-84GHS/T-R 8.4" 450cd/m ² High Luminance LCD Monitor, Aluminum Front Panel, Silver Color, W / Touch Screen
	DM-84GHMS/T-R 8.4" 450cd/m ² High Luminance LCD Monitor, Aluminum Front Panel, Silver Color, W / Touch Screen, 9~36V DC input
10.4"	DM-104GS 10.4" 230cd/m ² LCD Monitor, Aluminum Front Panel, Silver Color
	DM-104GMS 10.4" 230cd/m ² LCD Monitor, Aluminum Front Panel, Silver Color, 9~36V DC input
	DM-104GS/T-R 10.4" 230cd/m ² LCD Monitor, Aluminum Front Panel, Silver Color, W / Touch Screen
	DM-104GMS/T-R 10.4" 230cd/m ² LCD Monitor, Aluminum Front Panel, Silver Color, W / Touch Screen, 9~36V DC input
	DM-104GHS 10.4" 400cd/m ² High Luminance LCD Monitor, Aluminum Front Panel, Silver Color
	DM-104GHMS 10.4" 400cd/m ² High Luminance LCD Monitor, Aluminum Front Panel, Silver Color, 9~36V DC input
	DM-104GHS/T-R 10.4" 400cd/m ² High Luminance LCD Monitor, Aluminum Front Panel, Silver Color, W / Touch Screen
	DM-104GHMS/T-R 10.4" 400cd/m ² High Luminance LCD Monitor, Aluminum Front Panel, Silver Color, W / Touch Screen, 9~36V DC input
12.1"	DM-121GS 12.1" 400cd/m ² LCD Monitor, Aluminum Front Panel, Silver Color
	DM-121GMS 12.1" 400cd/m ² LCD Monitor, Aluminum Front Panel, Silver Color, 9~36V DC input
	DM-121GS/T-R 12.1" 400cd/m ² LCD Monitor, Aluminum Front Panel, Silver Color, W / Touch Screen
	DM-121GMS/T-R 12.1" 400cd/m ² LCD Monitor, Aluminum Front Panel, Silver Color, W / Touch Screen, 9~36V DC input
	DM-121GS-USB/T-R 12.1" 400cd/m ² LCD Monitor, Aluminum Front Panel, Silver Color, W/12.1" Touch Screen, RoHS, USB.
	DM-121GMS-USB/T-R 12.1" 400cd/m ² LCD Monitor, Aluminum Front Panel, Silver Color, W/12.1" Touch Screen, 9~36V DC input, RoHS, USB.
15"	DM-150GS 15" 350cd/m ² LCD Monitor, Aluminum Front Panel, Silver Color
	DM-150GMS 15" 350cd/m ² LCD Monitor, Aluminum Front Panel, Silver Color, 9~36V DC input
	DM-150GS/T-R 15" 350cd/m ² LCD Monitor, Aluminum Front Panel, Silver Color, W / Touch Screen
	DM-150GMS/T-R 15" 350cd/m ² LCD Monitor, Aluminum Front Panel, Silver Color, W / Touch Screen, 9~36V DC input
	DM-150GS-USB/T-R 15" 350cd/m ² LCD Monitor, Aluminum Front Panel, Silver Color, W/15" USB Touch Screen
	DM-150GMS-USB/T-R 15" 350cd/m ² LCD Monitor, Aluminum Front Panel, Silver Color, W/15" USB Touch Screen, 9~36V DC input, RoHS
17"	DM-170GS 17" 300cd/m ² LCD Monitor, Aluminum Front Panel, Silver Color
	DM-170GMS 17" 300cd/m ² LCD Monitor, Aluminum Front Panel, Silver Color, 9~36V DC input
	DM-170GS/T-R 17" 300cd/m ² LCD Monitor, Aluminum Front Panel, Silver Color, W / Touch Screen
	DM-170GMS/T-R 17" 300cd/m ² LCD Monitor, Aluminum Front Panel, Silver Color, W / Touch Screen, 9~36V DC input
	DM-170GS-USB/T-R 17" 300cd/m ² LCD Monitor, Aluminum Front Panel, Silver Color, W/17" USB Touch Screen
	DM-170GMS-USB/T-R 17" 300cd/m ² LCD Monitor, Aluminum Front Panel, Silver Color, W/17" USB Touch Screen, 9~36V DC input, RoHS
19"	DM-190GS 19" 300cd/m ² LCD Monitor, Aluminum Front Panel, Silver Color
	DM-190GMS 19" 300cd/m ² LCD Monitor, Aluminum Front Panel, Silver Color, 9~36V DC input
	DM-190GS/T-R 19" 300cd/m ² LCD Monitor, Aluminum Front Panel, Silver Color, W / Touch Screen
	DM-190GMS/T-R 19" 300cd/m ² LCD Monitor, Aluminum Front Panel, Silver Color, W / Touch Screen, 9~36V DC input
	DM-190GS-USB/T-R 19" 300cd/m ² LCD Monitor, Aluminum Front Panel, Silver Color, W/19" USB Touch Screen
	DM-190GMS-USB/T-R 19" 300cd/m ² LCD Monitor, Aluminum Front Panel, Silver Color, W/19" USB Touch Screen, 9~36V DC input, RoHS

ISDM Series Ordering Information - Stainless Steel Front Panel

Part No.	Description
8.4"	ISDM-084G 8.4" 220cd/m ² LCD Monitor with VGA, Stainless Steel Front Panel,RoHS
	ISDM-084GM 8.4" 220cd/m ² LCD Monitor with VGA and 9~36V DC Input, Stainless Steel Front Panel,RoHS
	ISDM-084G/T-R 8.4" 220cd/m ² LCD Monitor with VGA, Stainless Steel Front Panel,W/8.4" Touch Screen,RoHS
	ISDM-084GM/T-R 8.4" 220cd/m ² LCD Monitor with VGA and 9~36V DC Input, Stainless Steel Front Panel,W/8.4" Touch Screen,RoHS
	ISDM-084GH 8.4" 450cd/m ² High Luminance LCD Monitor with VGA, Stainless Steel Front Panel,RoHS
	ISDM-084GHM 8.4" 450cd/m ² High Luminance LCD Monitor with VGA and 9~36V DC Input, Stainless Steel Front Panel,RoHS
	ISDM-084GHM/T-R 8.4" 450cd/m ² High Luminance LCD Monitor with VGA and 9~36V DC Input, Stainless Steel Front Panel,W/8.4" Touch Screen,RoHS
	ISDM-084GH/T-R 8.4" 450cd/m ² High Luminance LCD Monitor with VGA, Stainless Steel Front Panel,W/8.4" Touch Screen,RoHS
10.4"	ISDM-104G 10.4" 230cd/m ² LCD Monitor with VGA, Stainless Steel Front Panel,RoHS
	ISDM-104GM 10.4" 230cd/m ² LCD Monitor with VGA and 9~36V DC Input, Stainless Steel Front Panel,RoHS
	ISDM-104G/T-R 10.4" 230cd/m ² LCD Monitor with VGA, Stainless Steel Front Panel,W/10.4" Touch Screen,RoHS
	ISDM-104GM/T-R 10.4" 230cd/m ² LCD Monitor with VGA and 9~36V DC Input, Stainless Steel Front Panel,W/10.4" Touch Screen,RoHS
	ISDM-104GH 10.4" 400cd/m ² High Luminance LCD Monitor with VGA, Stainless Steel Front Panel,RoHS
	ISDM-104GHM 10.4" 400cd/m ² High Luminance LCD Monitor with VGA and 9~36V DC Input, Stainless Steel Front Panel,RoHS
	ISDM-104GH/T-R 10.4" 400cd/m ² High Luminance LCD Monitor with VGA, Stainless Steel Front Panel,W/10.4" Touch Screen,RoHS
	ISDM-104GHM/T-R 10.4" 400cd/m ² High Luminance LCD Monitor with VGA and 9~36V DC Input, Stainless Steel Front Panel,W/10.4" Touch Screen,RoHS
12.1"	ISDM-121G 12.1" 400cd/m ² LCD Monitor, Stainless Steel Front Panel,RoHS
	ISDM-121GM 12.1" 400cd/m ² LCD Monitor, Stainless Steel Front Panel,9~36V DC input,,RoHS
	ISDM-121G/T-R 12.1" 400cd/m ² LCD Monitor, Stainless Steel Front Panel,W/12.1" Touch Screen,,RoHS
	ISDM-121GM/T-R 12.1" 400cd/m ² LCD Monitor, Stainless Steel Front Panel,W/12.1" Touch Screen,9~36V DC input,RoHS
	ISDM-121G-USB/T-R 12.1" 400cd/m ² LCD Monitor, Stainless Steel Front Panel,W/12.1" USB Touch Screen,,RoHS
	ISDM-121GM-USB/T-R 12.1" 400cd/m ² LCD Monitor, Stainless Steel Front Panel,W/12.1" USB Touch Screen,9~36V DC input,RoHS
15"	ISDM-150G 15" 350cd/m ² LCD Monitor, Stainless Steel Front Panel,RoHS
	ISDM-150GM 15" 350cd/m ² LCD Monitor, Stainless Steel Front Panel,9~36V DC input,RoHS
	ISDM-150G/T-R 15" 350cd/m ² LCD Monitor, Stainless Steel Front Panel,W/15" Touch Screen,RoHS
	ISDM-150GM/T-R 15" 350cd/m ² LCD Monitor, Stainless Steel Front Panel,W/15" Touch Screen,9~36V DC input,RoHS
	ISDM-150G-USB/T-R 15" 350cd/m ² LCD Monitor, Stainless Steel Front Panel,W/15" USB Touch Screen,RoHS
	ISDM-150GM-USB/T-R 15" 350cd/m ² LCD Monitor, Stainless Front Panel,W/15" USB Touch Screen,9~36V DC input,RoHS
17"	ISDM-170G 17" 300cd/m ² LCD Monitor, Stainless Front Panel,RoHS
	ISDM-170GM 17" 300cd/m ² LCD Monitor, Stainless Front Panel,9~36V DC input,,RoHS
	ISDM-170G/T-R 17" 300cd/m ² LCD Monitor, Stainless Front Panel,W/17" Touch Screen,,RoHS
	ISDM-170GM/T-R 17" 300cd/m ² LCD Monitor, Stainless Front Panel,W/17" Touch Screen,9~36V DC input,RoHS
	ISDM-170G-USB/T-R 17" 300cd/m ² LCD Monitor, Stainless Front Panel,W/17" USB Touch Screen,,RoHS
	ISDM-170GM-USB/T-R 17" 300cd/m ² LCD Monitor, Stainless Front Panel,W/17" USB Touch Screen,9~36V DC input,RoHS
19"	ISDM-190G 19" 300cd/m ² LCD Monitor with VGA and DVI-D input, Stainless Steel Front Panel,RoHS
	ISDM-190GM 19" 300cd/m ² LCD Monitor with VGA and DVI-D input and 9~36V DC Input, Stainless Steel Front Panel,Silver Color,,RoHS
	ISDM-190G/T-R 19" 300cd/m ² LCD Monitor with VGA and DVI-D input, Stainless Steel Front Panel,Silver Color,W/19" Touch Screen,RoHS
	ISDM-190GM/T-R 19" 300cd/m ² LCD Monitor with VGA and DVI-D input and 9~36V DC Input, Stainless Steel Front Panel,W/19" Touch Screen,RoHS
	ISDM-190G-USB/T-R 19" 300cd/m ² LCD Monitor with VGA and DVI-D input, Stainless Steel Front Panel,W/19" USB Touch Screen,RoHS
	ISDM-190GM-USB/T-R 19" 300cd/m ² LCD Monitor with VGA and DVI-D input and 9~36V DC Input, Stainless Steel Front Panel,W/19" USB Touch Screen,RoHS
12"	TDM-121GS 12.1" 400cd/m ² LCD Monitor,Aluminum Front,-30~ 70°C Operation Temperature, RoHS
	TDM-121GS/T-R 12.1" 400cd/m ² LCD Monitor,Aluminum Front,W/12.1" Touch Screen, -30~70°C Operation Temperature RoHS
	TDM-121GS-USB/T-R 12.1" 400cd/m ² LCD Monitor, Aluminum Front Panel,W/12.1" Touch Screen, -30~70°C Operation Temperature, USB Touch Screen, RoHS
	TDM-121GMS 12.1" 400cd/m ² LCD Monitor,Aluminum Front, 9~36V DC Input,-30~70°C Operation Temperature, RoHS
	TDM-121GMS/T-R 12.1" 400cd/m ² LCD Monitor,Aluminum Front, 9~36V DC Input,-30~70°C Operation Temperature, RoHS
	TDM-121GMS-USB/T-R 12.1" 400cd/m ² LCD Monitor,Aluminum Front, 9~36V DC Input,-30~70°C Operation Temperature, USB Touch Screen, RoHS
15"	TDM-150GS 15" 350cd/m ² LCD Monitor,Aluminum Front,-30~ 70°C Operation Temperature, RoHS
	TDM-150GS/T-R 15" 350cd/m ² LCD Monitor,Aluminum Front,W/15" Touch Screen, -30~ 70°C Operation Temperature, RoHS
	TDM-150GS-USB/T-R 15" 350cd/m ² LCD Monitor, Aluminum Front Panel,W/15" Touch Screen, -30~ 70°C Operation Temperature, RoHS
	TDM-150GMS 15" 350cd/m ² LCD Monitor,Aluminum Front, 9~36V DC Input, -30~ 70°C Operation Temperature ,RoHS
	TDM-150GMS/T-R 15" 350cd/m ² LCD Monitor,Aluminum Front, 9~36V DC Input, W/15" Touch Screen, -30~ 70°C Operation Temperature ,RoHS
	TDM-150GMS-USB/T-R 15" 350cd/m ² LCD Monitor,Aluminum Front Panel, 9~36V DC Input, W/15" Touch Screen, -30~ 70°C Operation Temperature, USB Touch Screen ,RoHS

Wide
Temp.